


### 1. Product and Company Identification

**Product Name** EASY-OFF® Fume Free Max Oven Cleaner Aerosol  
**UPC CODES** Refer to Section 16  
**CAS #** Mixture  
**Product use** Oven cleaner  
**Distributed by** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-228-4722  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	1
Physical Hazard	0
Personal Protection	B



### 2. Hazards Identification

**Emergency overview** CAUTION  
 EYE IRRITANT  
 Contents under pressure.  
 DO NOT get in eyes.  
 Wash hands after application and removal.  
 Do not puncture or incinerate container.  
 DO NOT expose to heat or store at temperatures above 120°F (49°C).  
 KEEP OUT OF REACH OF CHILDREN.

**Potential short term health effects**  
**Routes of exposure** Eye, Skin contact, Inhalation.  
**Eyes** Irritating to eyes.  
**Skin** None expected during normal conditions of use.  
**Inhalation** None expected during normal conditions of use.  
 However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.  
**Ingestion** Health injuries are not known or expected under normal use.  
**Target organs** Eyes. Respiratory system. Skin. Gastrointestinal tract.  
**Chronic effects** The finished product is not expected to have chronic health effects.  
**Signs and symptoms** irritation

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Carbonic acid, dipotassium salt	584-08-7	2.5 - 10
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10
Ethanol, 2-amino-	141-43-5	2.5 - 10
Isobutane	75-28-5	2.5 - 10

---

## 4. First Aid Measures

---

### First aid procedures

<b>Eye contact</b>	If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and continue rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	Move to fresh air. If symptoms develop or persist, seek medical advice.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

<b>Ingestion</b>	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician or Poison Control Centre immediately.
------------------	--

### Notes to physician

Treat patient symptomatically.

### General advice

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

<b>Flammable properties</b>	Aerosol flame extension less than 18 inches (45 cm).
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

---

## 6. Accidental Release Measures

---

<b>Personal precautions</b>	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Methods for containment</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for cleaning up</b>	Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

---

## 7. Handling and Storage

---

<b>Handling</b>	<b>CAUTION</b> Contents under pressure. Do not puncture or incinerate container. Use according to package label instructions. Use only in well-ventilated areas. Avoid contact with eyes. Keep away from open flames, hot surfaces and sources of ignition. Wash hands after handling and before eating.
-----------------	---

**Storage**

Keep out of reach of children.  
 Do not store at temperatures above 49 °C (120.2°F).  
 Avoid freezing to prevent bursting of the container.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

## 8. Exposure Controls / Personal Protection

**Exposure limits**

Ingredient(s)	Exposure Limits
Carbonic acid, dipotassium salt	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Ethanol, 2-(2-butoxyethoxy)-	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Ethanol, 2-amino-	<b>ACGIH-TLV</b> TWA: 3 ppm STEL: 6 ppm <b>OSHA-PEL</b> TWA: 3 ppm
Isobutane	<b>ACGIH-TLV</b> TWA: 1000 ppm <b>OSHA-PEL</b> Not established

**Engineering controls**

General ventilation normally adequate.

**Personal protective equipment****Eye / face protection**

Avoid contact with eyes.  
 tightly fitting safety goggles

**Hand protection**

No special requirements under normal use conditions.  
 Protective gloves are recommended for prolonged or repeated exposure.

**Skin and body protection**

Follow label directions carefully.

**Respiratory protection**

Not normally required under normal use conditions.  
 Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

**General hygiene considerations**

Avoid contact with skin, eyes and clothing.  
 Handle in accordance with good industrial hygiene and safety practice.  
 When using do not eat or drink.  
 Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Foamy Spray
<b>Color</b>	Light tan to White.
<b>Form</b>	Aerosol.
<b>Odor</b>	Lemon.
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Gas
<b>pH</b>	12.5
<b>Freezing point</b>	Not available

<b>Pour point</b>	Not available
<b>Boiling point</b>	Not applicable
<b>Flash point</b>	> 199.94 °F (> 93.3 °C) (Concentrate)
<b>Evaporation rate</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not determined
<b>Vapor density</b>	Not determined
<b>Specific gravity</b>	1.052 @ 25°C (Concentrate)
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	>95% @ 70°F
<b>Auto-ignition temperature</b>	Not available
<b>Viscosity</b>	Not available

## 10. Stability and Reactivity

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not spray on pilot light, electrical connections, switch, heating elements, or thermostats. Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur. Do not use on grill exterior, interior or components. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with other chemicals. Do not freeze.
<b>Incompatible materials</b>	Acids.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Carbonic acid, dipotassium salt	Not available
Ethanol, 2-(2-butoxyethoxy)-	Not available
Ethanol, 2-amino-	1210 mg/m3 mouse
Isobutane	658 mg/l/4h rat

### Component analysis - Oral LD50

Ingredient(s)	LD50
Carbonic acid, dipotassium salt	1870 mg/kg rat; 2570 mg/m3 mouse
Ethanol, 2-(2-butoxyethoxy)-	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit
Ethanol, 2-amino-	1720 mg/kg rat; 700 mg/kg mouse
Isobutane	Not available

### Effects of acute exposure

<b>Eye</b>	Irritating to eyes.
<b>Skin</b>	None expected during normal conditions of use.
<b>Inhalation</b>	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
<b>Ingestion</b>	Health injuries are not known or expected under normal use.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.

<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Synergistic Materials</b>	Not available

## 12. Ecological Information

**Ecotoxicity** Components of this product have been identified as having potential environmental concerns.

**Ecotoxicity - Freshwater Algae Data**

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr EC50 Desmodesmus subspicatus: >100 mg/L
Ethanol, 2-amino-	141-43-5	72 Hr EC50 Desmodesmus subspicatus: 15 mg/L

**Ecotoxicity - Freshwater Fish Species Data**

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]
Ethanol, 2-amino-	141-43-5	96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: >200 mg/L [flow-through]

**Ecotoxicity - Water Flea Data**

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L
Ethanol, 2-amino-	141-43-5	48 Hr EC50 Daphnia magna: 65 mg/L

<b>Environmental effects</b>	Not available
<b>Aquatic toxicity</b>	Not available
<b>Persistence / degradability</b>	Not available
<b>Bioaccumulation / accumulation</b>	Not available
<b>Partition coefficient</b>	Not available
<b>Mobility in environmental media</b>	Not available
<b>Chemical fate information</b>	Not available

## 13. Disposal Considerations

<b>Waste codes</b>	Not available
<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

## 14. Transport Information

**U.S. Department of Transportation (DOT)**

UN 1950, Aerosols, Class 2.1, Re-classed as  
Consumer Commodity ORM-D

**Transportation of Dangerous Goods (TDG - Canada)**

UN 1950, Aerosols, Class 2.1, Re-classed as  
Consumer Commodity/LTD. QTY

**IMDG (Marine Transport)**

UN1950, Aerosols, Class 2.1, Limited Quantity

**IATA/ICAO (Air)**

UN1950, Aerosols, flammable, Limited Quantity

---

## 15. Regulatory Information

---

**US Federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Product Registration:** Not registered

**Occupational Safety and Health Administration (OSHA)**

29 CFR 1910.1200 hazardous chemical Yes

**CERCLA (Superfund) reportable quantity**

None

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No
<b>Section 302 extremely hazardous substance</b>	No
<b>Section 311 hazardous chemical</b>	Yes
<b>Clean Air Act (CAA)</b>	Not available
<b>Clean Water Act (CWA)</b>	Not available
<b>State regulations</b>	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

### U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol, 2-amino- 141-43-5 Present

### U.S. - Illinois - Toxic Air Contaminants

Ethanol, 2-amino- 141-43-5 Present

### U.S. - Massachusetts - Right To Know List

Ethanol, 2-amino- 141-43-5 Present

Isobutane 75-28-5 Present

### U.S. - Minnesota - Hazardous Substance List

Ethanol, 2-amino- 141-43-5 Present

### U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol, 2-amino- 141-43-5 sn 0835

Isobutane 75-28-5 sn 1040

### U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol, 2-amino- 141-43-5 Present

Isobutane 75-28-5 Present

### U.S. - Rhode Island - Hazardous Substance List

Ethanol, 2-amino- 141-43-5 Toxic; Flammable

## Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

---

### Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### Further information

62338-00178-4 - EASY-OFF® Fume Free Max Oven Cleaner Aerosol - 16 oz. - 363915

### Issue date

11-May-2010

### Effective date

15-May-2010

### Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

### Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.